


CERTIFICATE OF ANALYSIS

Report No. :RBR/QC-2023/FG-174	Batch No. :AP-008
Report date : 30-08-2023	MFG. Date: 08/2023
Product Name : Mango Herbs Beast Pro Tablets	Exp. Date :07/2026
Batch Size: 335 kg	Pack Size:150 gm

S No.	Parameters	Standards	Result
1.	Description	Brown color powder	Brown color powder
2.	Colour	Brownish	Brownish
3.	Odour	Characteristic	Characteristic
4.	pH	4-8	6.15
5.	Taste	Slightly Bitter	Slightly Bitter
6.	Average Weight	150gm±5%	150.5gm
7.	Loss on drying 105°C	NMT-10%	6.61%
8.	Total ash	NMT-60%	42.47%
9.	Acid insoluble ash	NMT-20%	12.48%
10.	Water soluble extractive	NLT-70%	86.40%
11.	Alcohol soluble extractive	NLT-1.5%	12.20%
12.	*Test for heavy metals Lead Arsenic Cadmium Mercury	NMT-0.10ppm NMT-0.3ppm NMT-0.3ppm NMT-01ppm	Not Detected Not Detected Not Detected Not Detected
13.	*Identification By TLC Solvent System(Toluene Ethyl Acetate) Detection(U.V Anisaldehyde)	Rf value NMT-0.9	0.21,0.18,0.64,0.29,0.47, 0.75,0.32,0.71,0.13,0.82
14.	*Microbial limits: Total microbial count Staphylococcus aureus Salmonella Pseudomonas aeruginosa E.coli Yeast/mould count	Limit NMT 100000cfu/ml Should be Absent Should be Absent Should be Absent Should be Absent NMT-1000cfu/ml	530cfu/ml Absent Absent Absent Absent 140cfu/ml

***Results As Per External Testing Report.**

Remarks : The sample complies/does not complies to the in house specification.


Q.C Chemist

Rohini Sharma
Approved By


CERTIFICATE OF ANALYSIS

Report No. :RBR/QC-2023/FG-207	Batch No. :AP-010
Report date : 02-11-2023	MFG. Date: 10/2023
Product Name : Mango Herbs Beast Pro Tablets	Exp. Date :09/2026
Batch Size: 463 kg	Pack Size:150 gm

S No.	Parameters	Standards	Result
1.	Description	Brown color powder	Brown color powder
2.	Colour	Brownish	Brownish
3.	Odour	Characteristic	Characteristic
4.	pH	4-8	6.42
5.	Taste	Slightly Bitter	Slightly Bitter
6.	Average Weight	150gm±5%	150.5gm
7.	Loss on drying 105°C	NMT-10%	6.32%
8.	Total ash	NMT-60%	42.57%
9.	Acid insoluble ash	NMT-20%	10.80%
10.	Water soluble extractive	NLT-70%	86.10%
11.	Alcohol soluble extractive	NLT-1.5%	12.90%
12.	*Test for heavy metals Lead Arsenic Cadmium Mercury	NMT-0.10ppm NMT-0.3ppm NMT-0.3ppm NMT-01ppm	Not Detected Not Detected Not Detected Not Detected
13.	*Identification By TLC Solvent System(Toluene Ethyl Acetate) Detection(U.V Anisaldehyde)	Rf value NMT-0.9	0.21,0.18,0.64,0.29,0.47, 0.75,0.32,0.71,0.13,0.82
14.	*Microbial limits: Total microbial count Staphylococcus aureus Salmonella Pseudomonas aeruginosa E.coli Yeast/mould count	Limit NMT 100000cfu/ml Should be Absent Should be Absent Should be Absent Should be Absent NMT-1000cfu/ml	550cfu/ml Absent Absent Absent Absent 140cfu/ml

***Results As Per External Testing Report.**

Remarks : The sample complies/does not complies to the in house specification.


Q.C Chemist




CERTIFICATE OF ANALYSIS

Report No. :RBR/QC-2023/FG-230	Batch No. :AP-012
Report date : 28-12-2023	MFG. Date: 12/2023
Product Name : Mango Herbs Beast Pro Tablets	Exp. Date :11/2026
Batch Size: 315 kg	Pack Size:150 gm

S No.	Parameters	Standards	Result
1.	Description	Brown color powder	Brown color powder
2.	Colour	Brownish	Brownish
3.	Odour	Characteristic	Characteristic
4.	pH	4-8	6.35
5.	Taste	Slightly Bitter	Slightly Bitter
6.	Average Weight	150gm±5%	150.5gm
7.	Loss on drying 105°C	NMT-10%	6.45%
8.	Total ash	NMT-60%	42.77%
9.	Acid insoluble ash	NMT-20%	11.28%
10.	Water soluble extractive	NLT-70%	86.20%
11.	Alcohol soluble extractive	NLT-1.5%	12.50%
12.	*Test for heavy metals Lead Arsenic Cadmium Mercury	NMT-0.10ppm NMT-0.3ppm NMT-0.3ppm NMT-01ppm	Not Detected Not Detected Not Detected Not Detected
13.	*Identification By TLC Solvent System(Toluene Ethyl Acetate) Detection(U.V Anisaldehyde)	Rf value NMT-0.9	0.21,0.18,0.64,0.29,0.47, 0.75,0.32,0.71,0.13,0.82
14.	*Microbial limits: Total microbial count Staphylococcus aureus Salmonella Pseudomonas aeruginosa E.coli Yeast/mould count	Limit NMT 100000cfu/ml Should be Absent Should be Absent Should be Absent Should be Absent NMT-1000cfu/ml	570cfu/ml Absent Absent Absent Absent 140cfu/ml

***Results As Per External Testing Report.**

Remarks : The sample complies/does not complies to the in house specification.


Q.C Chemist


Approved By